

# NOVAPLEX Vector

PROCESS DIAPHRAGM PUMPS



>Bran+Luebbe<sup>®</sup>

Part of SPX Corporation (NYSE: SPW), the Flow Technology segment designs, manufactures, installs and services highly engineered solutions used to process, blend, meter and transport fluids, in addition to air and gas filtration and dehydration. The segment supports the food and beverage, dairy, pharmaceutical, oil and gas, energy, and industrial markets worldwide.

Based in Charlotte, North Carolina, SPX Corporation (NYSE: SPW) is a global Fortune 500 multi-industry manufacturing leader with over \$5 billion in annual revenue, operations in more than 35 countries and over 15,000 employees. The company's highly-specialized, engineered products and technologies are concentrated in Flow Technology and energy infrastructure. Many of SPX's innovative solutions are playing a role in helping to meet rising global demand for electricity and processed foods and beverages, particularly in emerging markets. The company's products include food processing systems for the food and beverage industry, power transformers for utility companies, and cooling systems for power plants. For more information, please visit www.spx.com.

For more than 80 years, Bran+Luebbe – now a brand of SPX Flow Technology – has been providing customers with high quality metering, processing and analysing equipment.

As part of the global SPX Corporation, we are one of the world's most reputable manufacturers of metering and process pumps, process systems as well as analyzing technologies. Our engineers have comprehensive process and applications knowledge across a wide range of markets. This has resulted in product innovations and developments which harness the latest technology whilst meeting the highest quality standards.

## NOVAPLEX Vector

The Process Diaphragm Pump NOVAPLEX Vector combines a unique new gearbox design with well-proven diaphragm pump head technology and is ideally suited for applications in the oil&gas industry (onshore, offshore) as well in the chemical industry, offering a number of benefits, such as:

- Light weight
- Small footprint
- Easy maintenance due to reduced number of parts
- Less downtime
- Lower operation costs

### PERFORMANCE DATA

<ul> <li>Volume / capacity:</li> </ul>	2 - 70 m³ / hr
Pressure:	up to 400 bar (PTFE) up to 1000 bar (Metal)
<ul> <li>Fluid temperature range:</li> </ul>	-40 °C to +150 °C (special solutions upon request)
<ul> <li>Ambient temperature range:</li> </ul>	-40 °C to +60 °C (special solutions upon request)
<ul> <li>Hazardous area:</li> </ul>	up to Zone 1 IIC T4 (Zone 22 upon request)
<ul> <li>Adjustable capacity (VFD)</li> </ul>	

### **ADDITIONAL FEATURES**

- Diaphragm position control for maximum operating security
- Safe dry-run capabilities
- High volumetric efficiency
- Hermetically sealed by two diaphragm layers
- Diaphragm condition monitoring
- NOVALINK\_CSM 2 Diagnosis interface as standard

### PERFORMANCE



### **TYPICAL MARKETS WITH APPLICATIONS**

- Oil & Gas
- Methanol Injection
- Polymer Injection (Enhanced Oil Recovery)
- Hydrocarbon transfer
- and many more

### Chemical Processing Industry

- Reactor Feed
- and many more
- Minining
- Autoclave feed

### FLUIDS PUMPED

- Ammonia
- Liquified CO<sub>2</sub>
- Hydrocarbon Condensate
- Methanol, Glycol, Biocides
- LPG (Liquified Petroleum Gas)
- Propionic Acid
- Raney Nickel suspensions
- Vinyl Chloride Monomer
- Vinyl Acetate Copolymer





### COMPACT GEAR DESIGN

- Small footprint
- Reduced weight
- Reduced maintenance effort

### ESTABLISHED PUMP HEAD TECHNOLOGY

- A pressure relief valve within the hydraulic system of the pump head protects not only the pump head but also the pump gear from overload due to excessive pressure.
- Increased diaphragm life compared to n--on-positive control systems
- Diaphragm protection even under critical operating conditions
- Dry running capabilities
- Double-diaphragm pumps with diaphragm condition monitoring offer higher operation security than single diaphragm pump heads.



# NOVAPLEX Vector

### PROCESS DIAPHRAGM PUMPS



**NOVAPLEX** Classic



**NOVAPLEX** Integral

In addition to the NOVAPLEX Vector pumps the NOVAPLEX Classic with externally mounted gear reducer, enabling an extended number of pump heads and the NOVAPLEX Integral with integrated gear reducer for minimized foot print are available for special projects.

### **Global** locations

### EMEA

### SPX FLOW TECHNOLOGY

Werkstraße 4 D-22844 Norderstedt Phone: +49 (0) 40 - 522 02 -0 +49 (0) 40 - 522 02 -444 Fax: E-Mail: branluebbe@spx.com

### SPX FLOW TECHNOLOGY

Ironstone Way Brixworth, Northants, NN6 9UD Phone: +44 (0) 1604 880751 +44 (0) 1604 880145 Fax: E-Mail: ft.brixworth.sales@spx.com

### AMERICAS

SPX FLOW TECHNOLOGY 611 Sugar Creek Road Delavan, WI 53115 USA Phone: +1 (800) 252-5200 or +1 (262) 728-1900 +1 (262) 728-4904 Fax: E-Mail: branluebbe@spx.com

#### APAC

### SPX FLOW TECHNOLOGY

25 International Business Park #03-03/12, German Centre, Singapore 609916 Phone: +65 6568 1568 +65 6265 9133 Fax: E-Mail: asia.pacific@spx.com

### SPX FLOW TECHNOLOGY NORDERSTEDT GMBH

Werkstraße 4 D-22844 Norderstedt Phone: +49 (0) 40 - 522 02 -0 +49 (0) 40 - 522 02 -444 Fax: E-Mail: branluebbe@spx.com

SPX reserves the right to incorporate our latest design and material changes without notice or obligation.

Design features, materials of construction and dimensional data, as described in this bulletin, are provided for your information only and should not be relied upon unless confirmed in writing. Please contact your local sales representative for product availability in your region. For more information visit www.spx.com.